

Rørsliber

740682120

Rørslibere - ARBOGA 150 RS

ARBOGA 150 RS pipe grinder is perfect for grinding all kinds of pipes and profiles before welding.

ARBOGA 150 RS is suitable for batch production where precision and perfect finish and fitting is required, e.g. in the production of frames, handrails, go-carts, wheel chairs, ship rails, gates, furniture frames, stainless steel constructions for the food industry.

ARBOGA 150 RS is able to grind components with diameters of between 21 and 100 mm, regardless of the material.

ARBOGA pipe grinder type 150 RS has the following features:

- The only pipe grinder on the market that offers adjustment of the grinding section rather than the object to be ground
- Due to the adjustment of the grinding section instead of the object to be ground, the required work space is kept to an absolute minimum when grinding e.g. long pipes
- Quick and easy adjustment to all angles without the use of tools
- Precision grinding of pipes and profiles at all angles
- Perfect fit of the grinding roller to the desired diameter
- High-quality and heavy construction
- Suitable for connection to exhaust system
- Very suitable for batch production.

Exhaust system

ARBOGA 150 RS can be supplied with a powerful built-in exhaust system which effectively removes most of the grinding dust from the grinding belt.

Best results are achieved by mounting the Cyclone 100 directly onto the built-in exhaust system to collect grinding dust.



Cyclone 100 is an optional extra, which can also be mounted between the pipe grinding machine and the central exhaust system.

Product Link:

<https://arboga.dk/da/product/pipe-notcher-243>

Product Specification

Ydelse (kW)	4,1
Omdr./min	1400
Spænding	3x400V-50 Hz
Skivestørrelse, Drivhjul (ø mm)	200x100x28
Slibebånd (mm)	100x1600
Rørdimension (ø mm)	21-100
Sugeevne (m³/h)	600
Længde (mm)	1430
Bredde (mm)	810
Højde (mm)	1350
Netto (kg)	205

Product Link:

<https://arboga.dk/da/product/pipe-notcher-243>